



Super Cedar Firestarters

Safety Data Sheet

SDS Number 109

NON-HAZARDOUS CHEMICAL.

SAFETY DATA SHEET IS NOT REQUIRED BY THE FOLLOWING REGULATIONS:

Regulation (EU) No. 2015/830; US 29CFR1910.1200; Canadian Hazardous Products Regulation; Japanese Industrial Standard JIS Z 7253:2012; Australian Worksafe.

Date of issue: 1/23/2025

Revision date: 1/23/2025

Supersedes: 10/28/2019

Version: 2.6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form

Article

Trade name

SUPER CEDAR FIRESTARTERS – 36 Count Starts up to 144 Fires for Wood Stoves, Campfires, Grill Pit and Fireplace, Natural & Waterproof, Easy to Light, Fresh Cedar Aroma, Burns for 30 Minutes.

CAS No

Mixture

Other means of identification

**ASIN B00K4KHD38
SKU WU-UL1S-F2JA
UPC 038306444303**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Firestarters: Used to start wood fires in any wood burning appliance or campfire (read instructions & cautions on package)

1.3. Details of the supplier of the safety data sheet

Northwestern Fuels & Landscaping Supplies

4493 Russel Road, Suite A

Mukilteo, WA 98275

(425) 743-1550 (For product information)

1.4. Emergency telephone number

EMERGENCY CONTACT PERSON:

Thomas Reynolds, Risk Manager, 24 hours: (206) 963-8010

EMERGENCY TRANSPORTATION NUMBER:

800-424-9300 Chemtrec (Continental U.S.)

202-483-7616 (Alaska, Hawaii)

EMERGENCY HEALTH NUMBER:

800-222-1222 National Capital Poison Center

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS)

Not classified; this product does not meet the criteria for classification according to OSHA Hazard Communication Standard (29 CFR 1910.1200)

2.2. Label elements

GHS labeling

No labelling applicable.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS)

Not classified; this product does not meet the criteria for classification according to OSHA Hazard Communication Standard (OSHA GHS)

2.5. Coloring

None as defined by OSHA 29 CFR 1910.1200

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Super Cedar Firestarters

Safety Data Sheet

NON-HAZARDOUS CHEMICAL.

SDS Number 109

3.2. Mixture

Name	Product identifier	%
Sawdust from various softwood and hardwood species.	Mixture (Sawdust) LOLI No. RR-04544-3	59
Paraffin waxes	(CAS No) 8002-74-2	41

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	This product is not hazardous. Not expected to require first aid measures.
First-aid measures after inhalation	During combustion If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after ingestion	Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	No significant signs or symptoms indicative of any health hazard are expected to occur. During combustion: May cause respiratory irritation.
Symptoms/injuries after inhalation	During combustion: Inhalation may cause irritation, cough, shortness of breath.
Symptoms/injuries after ingestion	Like any product not designed to be ingested, this product may cause stomach distress if ingested in large quantities.

4.3. Indication of any immediate medical attention and special treatment needed

All treatments should be based on observed signs and symptoms of distress in the patient.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Carbon dioxide. Foam. Dry chemical. Water spray.
Unsuitable extinguishing media	None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard	No particular fire or explosion hazard. Combustion generates: Carbon oxides (CO, CO2).
Explosion hazard	Product is not explosive.
Reactivity	Normally stable, even under fire exposure conditions, and not reactive with water.

5.3. Advice for firefighters

Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any fire.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flame resistant retardant clothing. Wear a self-contained breathing apparatus.
Other information	Breaking up the burning log with a poker, etc. will cause a sudden flare-up and intensify the fire. Burning pieces of the Firestarter may stick to the poker.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : No additional risk management measures required.

Super Cedar Firestarters

Safety Data Sheet

NON-HAZARDOUS CHEMICAL.

SDS Number 109

6.1.2. For emergency responders

Emergency procedures

Collect as much as possible in a clean container for (preferable) reuse or disposal. No additional risk management measures required.

6.2. Environmental precautions

Do not discharge into drains or the environment.

6.3. Methods and material for containment and cleaning up

For containment : Recover the product by vacuuming, shoveling or sweeping.

6.4. Reference to other sections

Section 7: safe handling. Section 8: personal protective equipment. Section 13: disposal information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

None known.

Precautions for safe handling

Handle with care to avoid breakage. Do not tear open the wrapper. Use only according to label directions.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Store in a dry, cool and well-ventilated place. Store in correctly labelled containers.

Incompatible materials

Strong oxidizers.

Storage temperature

49 °C (<120 °F) (To prevent softening of the Firestarter. Softened product could break during handling).

Prohibitions on mixed storage

Keep away from incompatible materials.

7.3. Specific end use(s)

Firestarters: Used to start wood fires in any wood burning appliance or campfire (read instructions & cautions on package)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

All applicable OELs are shown

Paraffin waxes (8002-74-2)		
ACGIH	Local name	Paraffin wax fume
ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³
ACGIH	Remark (ACGIH)	URT irr; nausea

8.2. Exposure controls

Appropriate engineering controls

During combustion: either local exhaust or general room ventilation is usually required. No special work practices are needed beyond the above recommendations under anticipated conditions of normal use.

Personal protective equipment

None under normal use.

Consumer exposure controls

Do not use a poker or otherwise disturb a burning Firestarter in any way. Always close wire mesh protective fire screen when burning a Firestarter. Never leave any Firestarter fire or wood fire unattended. Keep children and animals away from fireplaces when burning Firestarter. Read and follow the Firestarter label instructions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Solid

Appearance

Solid

Color

Red

Super Cedar Firestarters

Safety Data Sheet

SDS Number 109

NON-HAZARDOUS CHEMICAL.

Odor	Slight
Odor threshold	No data available
pH	N/A
Melting point	> 60 °C (140 °F)
Freezing point	No data available
Boiling point	No data available
Flash point	> 260 °C (500 °F)
Relative evaporation rate (butyl acetate=1)	No data available
Flammability (solid, gas)	No data available
Explosion limits	No data available
Explosive properties	No data available
Oxidizing properties	No data available
Vapor pressure	N/A
Relative density	No data available
Relative vapor density at 20 °C	No data available
Solubility	Not Soluble:
Log Pow	N/A
Log Kow	N/A
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity, kinematic	N/A
Viscosity, dynamic	N/A

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Normally stable, even under fire exposure conditions, and not reactive with water.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure	Dermal
Acute toxicity	Not classified. (Conclusive but not sufficient for classification)
Skin corrosion/irritation	Not classified. (Conclusive but not sufficient for classification)
Serious eye damage/irritation	Not classified. (Conclusive but not sufficient for classification)
Respiratory or skin sensitization	Not classified. (Conclusive but not sufficient for classification)
Germ cell mutagenicity	Not classified. (Conclusive but not sufficient for classification)
Carcinogenicity	Product is Not classified.

Reproductive toxicity: Not classified. (Conclusive but not sufficient for classification)

Super Cedar Firestarters

Safety Data Sheet

SDS Number 109

NON-HAZARDOUS CHEMICAL.

Specific target organ toxicity (single exposure)	Not classified. (Conclusive but not sufficient for classification)
Specific target organ toxicity (repeated exposure)	Not classified (Conclusive but not sufficient for classification)
Aspiration hazard	Not classified (Conclusive but not sufficient for classification)
Potential Adverse human health effects and symptoms	None under normal conditions.
Symptoms/injuries after inhalation	During combustion: Inhalation may cause: irritation, cough, shortness of breath

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

Persistence and degradability Readily biodegradable.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer None known

Effect on the global warming None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Dispose in a safe manner in accordance with local/national regulations.

Waste disposal recommendations Disposal via incineration is recommended. Dispose in a safe manner in accordance with local/national regulations.

Additional information Do not attempt to handle or dispose of hot embers or Firestarter or firelighter that is still burning (even if it appears to be only smoking). Ash is not suitable for use as soil amendment; do not spread ash in gardens.

SECTION 14: Transport information

Department of Transportation

Not considered a dangerous good for transport regulations

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

Additional information

Other Information

Bill of Lading Description: Super Cedar Firestarters

Product Code Number(s): Various

Super Cedar Firestarters

Safety Data Sheet

NON-HAZARDOUS CHEMICAL.

SDS Number 109

SECTION 15: Regulatory information

15.1. US Federal regulations

All components

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Super Cedar Firestarters

WHMIS Classification This product has been classified in accordance with the hazard criteria of the HPR and the SOS contains all of the information required by the HPR


EU-Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

15.3. US State regulations

Super Cedar Firestarters

U.S. - California - Proposition 65	 WARNING Combustion of this product results in emissions that can expose you to chemicals including carbon monoxide, soot, smoke and other combustion by-products, which are known to the State of California to cause cancer, birth defects or other reproductive harm, and/or other adverse health effects. For more information go to www.P65Warnings.ca.gov
U.S. - California - Other information	<u>BAAQMD Regulation 6, Rule 3</u> and <u>SCAQMD Rule 445</u> : Use of this and other solid fuels may be restricted at time by law. Please check 1-877-4NO-BURN or http://www.8774NOBURN.ORG before burning.

SECTION 16: Other information

Revision date 01/22/2025

Data sources European Chemicals Agency (ECHA) Registered Substances list.
Internal Company test data.
National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition.
Organization for Economic Co-operation and Development.

Abbreviations and acronyms ACGIH: American Conference of Government Industrial Hygienists.
ATE: Acute Toxicity Estimate.
GAS: (Chemical Abstracts Service) number.
EC50: Environmental Concentration associated with a response by 50% of the test population.
GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
LC50: Median lethal concentration.
LD50: Median lethal dose.
SOS: Safety Data Sheet.
TWA: Time Weighted Average.

Super Cedar Firestarters

Safety Data Sheet

NON-HAZARDOUS CHEMICAL.

SDS Number 109

NFPA health hazard


0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard

1 - Must be preheated before ignition can occur.

NFPA reactivity

0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Northwestern Fuel & Landscaping Supplies, believes that the information in this document is accurate as of the date of issued and is offered in good faith, but without warranty or representation. Since some ingredients are purchased from third parties, Northwestern Fuels & Landscaping Supplies, in good faith, relies on information provided by these third parties. Since conditions of use are beyond our control, we do not assume any responsibility for the result of its use. This information is offered solely for the consideration, investigation, and verification by our customers, handlers and users of this product. Further, this information and the product are furnished on the condition that the users receiving them shall make their own determination as to the suitability of the product for their particular purpose, and on the condition that they assume the risk of their use thereof.

Northwestern Fuel & Landscaping Supplies reserves the right to revise this Safety Data Sheet periodically as new information becomes available.